Page 1 / 8 EN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

# Kebu Plast Mastic Special

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant indentified uses of the substance or mixture:

This is an article **Uses advised against:** No information available at present.

### 1.3 Details of the supplier of the safety data sheet

Kebulin-Gesellschaft Kettler GmbH & Co. KG, Ostring 9, D-45701 Herten-Westerholt Telephone ++49(0)209/9615-0, Fax ++49(0)209/9615-190

### 1.4 Emergency telephone

# Advisory office in case of poisoning:

Tel.:

### Telephone number of the company in case of emergencies:

Tel.: ++49(0)209/9615-0

**SECTION 2: Hazards identification** 

# 2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Not classified

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments).

Not classified

### 2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

#### **2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments).** This is an article.

Symbols: Not applicable Indications of danger: ---R-phrases: S-phrases: Additions: n.a.

### 2.3 Other hazards

Will cause burns if hot material contacts eyes. Will cause burns if hot material contacts skin.

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not includes under XIII of the regulation (EC) 1907/2006.

Page 2 / 8 EN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substance

n.a.

### 3.2 Mixture

Distillates (petroleum), hydrotreated heavy naphthenic	
Registration number (ECHA)	01-2119467170-45
Index	-
EINECS, ELINCS	265-255-0
CAS	64742-52-5
content %	0 - 20
Classification according to Directive 67/548/EEC	Nicht eingestuft
Classification according to Regulation (EC) 1272/2008 (CLP)	Nicht eingestuft

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### General Information

No action shall be taken involving any personal risk.

### Inhalation

No special recommendations.

#### Skin contact

Cold Product - Wash contaminated skin with soap and water. Remove contaminated clothing and wash underlying skin as soon as reasonably practicable.

Hot Product - Flood skin with cold water to dissipate heat, cover with clean cotton or gauze, obtain medical advice immediately.

### Eye contact

Cold product - Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open.

Obtain medical advice if any pain or redness develops or persists.

Hot product - Flood with water to dissipate heat. In the event of any product remaining, do not try to remove it other than by continued irrigation with water. Obtain medical attention immediately.

### After Swalloing

If swallowed, rinse mouth with water (only if the person is conscious). Immediately consult a doctor.

Keep the patient calm. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No known significant effects or critical hazards.

**4.3 Indication of any immediate medical attention and special treatment needed** n.d.a.

**SECTION 5: Firefighting measures** 

# 5.1 Extinguishing media

### Suitable extinguishing media

In case of fire, use water fog, foam, dry chemical or carbon dioxide extinguisher or spray. **Unsuitable extinguishing media** 

Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases.

### 5.3 Advice for firefighters

Keep respiratory protective device.

### Additional information:

Closed containers exposed to fire cool by spraying with water. Do not allow extinguishing water into drains, soil or water.

Page 3 / 8 EN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

### 6.2 Environmental precautions

Normally not necessary.

### 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

# 7.1 Precautions for safe handling

Advice on safe handling: No special measures required.

Precautions against fire and explosion:

No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers:

no Advice on common storage inapplicable Further information on storage conditions Store in dry conditions between 0 ° C and 40 ° C. Protect from heat and direct sunlight. 7.3 Specific end use(s)

Read the datasheet and the instruction.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Occupational exposure limits

No exposure limit value known.

# 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

No specific recommendations.

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### **Respiratory protection:**

No specific recommendations.

### Skin protection - Hand protection:

Cold material: No specific recommendations. Hot material: To prevent thermal burns wear heat resistant and impervious gauntlets/gloves.

### Eye/face protection:

Cold material: No specific recommendations. Hot material: Wear safety glasses / faceshield.

### Body protection:

Cold material: No specific recommendations Hot material: Wear impervious and heat resistant coveralls covering the full body and limbs. Page 4 / 8 EN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special

# 8.2.3 Environmental exposure controls

No specific recommendations.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Flash point: Ignition temperature: Lower explosive limit: Upper explosive limit: Vapor pressure Density: Water solubility: Partition coefficient (n-octanol/water): Viscosity: Solid / pasty Brown Odorless Open cup: > 150 °C Not available Not available Not available Not available 1,0 - 1, 2 g/ml Insoluble Not determined Not available

# 9.2 Other information

No additional information

# **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.

### 10.2 Chemical stability

Stable with proper storage and handling.

### **10.3 Possibility of hazardous reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4 Conditions to avoid

Avoid excessive heat.

### **10.5 Incompatible materials**

No special data available.

### **10.6 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### Possibly mor information on health effects, see Section 2.1 (classification).

# Kebu Plast Mastic Special

Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a
Acute toxicity, by dermal route:						n.d.a
Acute toxicity, by inhalation:						n.d.a
Skin corrosion/irritation:						n.d.a
Serious eye damage/irritation						n.d.a
Respiratory or skin sensitisation:						n.d.a
Germ cell mutagenicity:						n.d.a
Carcinogenicity:						n.d.a
Reproductive toxicity:						n.d.a
Specific target organ						n.d.a

Page 5 / 8 EN Safety data sheet accord Revised on / Version: 10. Replaces revision of: 03.06 PDF print date: 10.08.2015 Kebu Plast Mastic Special	08.2015 / 03 6.2013 / Version: 02	C) No 1907/2006, Annex II	
toxicity - single exposure (STOT-SE)			
Specific target organ toxicity - repeated exposure (STOTRE)			n.d.a
Aspiration hazard:			n.d.a
Respiratory tract irritation:			n.d.a
Repeated dose toxicity:			n.d.a
Symptoms:			n.d.a
Other information			This is an article.

# **SECTION 12: Ecological information**

Possibly mor information on health effects, see Section 2.1 (classification).

Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and							n.d.a.
degradability:							
Bioaccumulative							n.d.a.
otential:							
<i>l</i> obility in soil:							n.d.a.
Results of PBT and							n.d.a.
PvB assessment							
Other adverse effects:							n.d.a.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain

circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

08 04 09 waste adhesives and sealants other than those mentioned in 08 04 09

08 04 99 wastes not otherwise specified

Recommendation:

Pay attention to local and national official regulations

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

### For contaminated packing material

Pay attention to local and national official regulations Recommendation:

Recycling

# **SECTION 14: Transport information**

### **General statements**

This product is not regulated for carriage according to ADR/RID, IMDG, ICAO/IATA.

Page 6 / 8 ΕN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture For classification and labeling see Section 2. Hazard class for water (Germany): WGK 0 Observe restrictions: n.a. VOC (1999/13/EC) n.a. 15.2 Chemical safety assessment A chemical safety assessment is not provided for mixtures. **SECTION 16: Other information** These details refer to the product as it is delivered. **Revised sections:** n.a. Any abbreviations and acronyms used in this document: AC Article Categories acc., acc. to according, according to American Conference of Governmental Industrial Hygienists ACGIH ADR Accord europeen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOFI Acceptable Operator Exposure Level Adsorbable organic halogen compounds AOX approx. approximately Article number Art., Art. no. Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS **Chemical Abstracts Service** Comité Europeen des Agents de Surface et de leurs Intermédiaires Organiques CESIO CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL **Derived No Effect Level** DOC Dissolved organic carbon **DT50** Dweil Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.v. (= German Association for Welding and Allied Processes) dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA **European Chemicals Agency** European Economic Area EEA EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances European list of Notified Chemical Substances ELINCS ΕN European Norms EPA United States Environmental Protection Agency (United States of America) ERC **Environmental Release Categories** ES Exposure scenario etc. et cetera

Page 7 /	8 EN
	ata sheet according to Regulation (EC) No 1907/2006, Annex II
-	on / Version: 10.08.2015 / 03
	s revision of: 03.06.2013 / Version: 02
•	t date: 10.08.2015
	st Mastic Special
EU	European Union
EWC	European Waste Catalogue
Fax.	Fax number
gen.	general
ĞHS	Globally Harmonized System of Classification and Labelling of Chemicals
GWP	Global warming potential
HET-CAN	M Hen's Egg Test - Chorionallantoic Membrane
HGWP	Halocarbon Global Warming Potential
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
IBC	(Code) International Bulk Chemical (Code)
	Inhibitory concentration
IMDG-co in cl.	0
IUCLID	including, inclusive International Uniform Chemical Information Database
LC	lethal concentration
LC50	lethal concentration 50 percent kill
LCLo	lowest published lethal concentration
LD	Lethal Dose of a chemical
LOSO	Lethal Dose, 50% kill
LDLo	Lethal Dose Low
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
LQ	Limited Quantities
	International Convention for the Prevention of Marine Pollution from Ships
n.a.	not applicable
n.av.	not available
n.c.	not checked
n.d.a. NIOSH	no data available National lastitute of Occupational Safety and Health (United States of America)
NOAEC	National Institute of Occupational Safety and Health (United States of America) No Observed Adverse Effective Concentration
NOALC	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
ODP	Ozone Depletion Potential
OECD	Organisation for Economic Co-operation and Development
org.	organic
PĂH	polycyclic aromatic hydrocarbon
PBT	persistent, bioaccumulative and toxic
PC	Chemical product category
PE	Polyethylene
PNEC	Predicted No Effect Concentration
POCP	Photochemical ozone creation potential
ppm	parts per million
PROC	Process category
	Polytetrafluorethylene Registration Evaluation Authorization and Restriction of Chamicals (RECLII ATION (EC) No. 1907/2006 concerning
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration
Evaluatio	the Registration, m, Authorisation and Restriction of Chemicals)
	T List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other
	numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for
	processing a submission via REACH-IT.
RID	Reglement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation
	concerning the International Carriage of Dangerous Goods by Rail)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure Activity Relationship
SU	Sector of use
SVHC	Substances of Very High Concern
Tel.	Telephone
ThOD	Theoretical oxygen demand
TOC	Total organic carbon
TRGS	Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
VbF VOC	Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))
VUC	Volatile organic compounds

Page 8 / 8 ΕN Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 10.08.2015 / 03 Replaces revision of: 03.06.2013 / Version: 02 PDF print date: 10.08.2015 Kebu Plast Mastic Special vPvB

very persistent and very bioaccumulative

WE.L-TWA, WEL-STEL WEL-TWA = Workplace Exposure limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure limit - Short-term exposure limit (1 5-minute reference period) (EH40, UK). WHO World Health Organization

wet weight wwt

These statements were made by: Kebulin-Gesellschaft Kettler GmbH & Co. KG Ostring 9, D-45701 Herten-Westerholt Telefon: +49 (0)2 09 96 15-0 Fax: +49 (0)2 09 96 15 190 e-mail: info@kebu.de

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.